U.S. Appl. No. 10/557,272 PCT Appl. No. PCT/JP04/008169

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-6 (canceled)

Claim 7 (new): A communication system having a plurality of communication apparatuses, each of the plurality of communication apparatuses comprising:

first communication mean for executing a communication between each communication apparatus and other communication apparatus by a first communication protocol;

exchange means for exchanging communication information necessary to a communication executed by a second communication protocol included in a communication protocol available by the other communication apparatus between the communication apparatus and the other communication apparatus by the communication executed by the first communication protocol;

switching means for switching the communication between each communication apparatus and the other communication apparatus from the communication executed by the first communication protocol to the communication executed by the second communication protocol; and

second communication mean for executing the communication by the second communication protocol between each communication apparatus and the other communication mean based on the communication information exchanged by the exchange means.

Claim 8 (new): A communication apparatus for executing a communication between the communication apparatus and other communication apparatus, comprising:

first communication mean for executing a communication between the communication apparatus and the other communication apparatus by a first communication protocol;

acquisition means for acquiring the information of a communication protocol available by the other communication apparatus through the communication executed by the first communication protocol; U.S. Appl. No. 10/557,272 PCT Appl. No. PCT/JP04/008169

exchange means for exchanging communication information necessary to a communication executed using a second communication protocol included in the communication protocol available by the other communication apparatus between each communication apparatus and the other communication apparatus by the communication executed using the first communication protocol;

switching means for switching the communication between the communication apparatus and the other communication apparatus from the communication executed by the first communication protocol to the communication executed using the second communication protocol; and

second communication mean for executing the communication by the second communication protocol between the communication apparatus and the other communication apparatus based on the communication information exchanged by the exchange means.

Claim 9 (new): A communication apparatus according to claim 8, wherein the communication executed by the first and second communication protocols is a wireless communication, and, when the other communication apparatus is located in the vicinity of the communication apparatus, the first communication mean executes the communication by the first communication protocol between the communication apparatus and the other communication apparatus.

Claim 10 (new): A communication apparatus according to claim 9, wherein, in the first communication protocol, the communication is executed by specifying the other communication apparatus located in the vicinity of the communication apparatus.

Claim 11 (new): A method of executing a communication between a communication apparatus and other communication apparatus, the method comprising:

executing a communication between the communication apparatus and the other communication apparatus by a first communication protocol;

acquiring the information of a communication protocol available by the other communication apparatus by the communication executed by the first communication protocol;

U.S. Appl. No. 10/557,272 PCT Appl. No. PCT/JP04/008169

exchanging communication information necessary to a communication executed by a second communication protocol included in the communication protocols available by the other communication apparatus between the communication apparatus and the other communication apparatus by the communication executed by the first communication protocol;

switching the communication between the communication apparatus and the other communication apparatus from the communication executed by the first communication protocol to the communication executed by the second communication protocol; and

executing the communication by the second communication protocol between the communication apparatus and the other communication apparatus based on the communication information exchanged.

Claim 12 (new): A program for causing a computer to execute communication processing for executing a communication between a communication apparatus and other communication apparatus, comprising:

a first communication step of executing a communication between the communication apparatus and the other communication apparatus by a first communication protocol;

an acquisition step of acquiring the information of a communication protocol available by the other communication apparatus by the communication executed by the first communication protocol;

an exchange step of exchanging communication information necessary to a communication executed by a second communication protocol included in the communication protocols available by the other communication apparatus between the communication apparatus and the other communication apparatus by the communication executed by the first communication protocol;

a switching step of switching the communication between the communication apparatus and the other communication apparatus from the communication executed by the first communication protocol to the communication executed by the second communication protocol; and

a second communication step of executing the communication by the second communication protocol between the communication apparatus and the other communication apparatus based on the communication information exchanged at the exchange step.